

Fact Sheet

GSP HD 18° L

BIZERBA

The Bizerba premium gravity feed slicer sets worldwide standards in terms of hygiene, safety and energy efficiency. Thanks to its intelligent motor control the slicer is highly energy efficient. Extremely powerful in semi-automatic operation.




More information
High performance
with a wide range of
solutions and options.

Specifications	Facts	Details
Dimensions		
Installation area (L x W)	532 mm x 444 mm / 20.9" x 17.5"	
Work area (L x W x H)	801 mm x 776 mm / 31.5" x 30.6"	
Electrical data		
Power consumption	100-240 V, 50/60 Hz, 1,4-2,6 A	Single-phase altern. current with Emotion®
Protection type	IP33	
Performance data		
Product size	Height 188 mm / 7.40" Width 290 mm / 11.42" Round: Ø 235 mm / 9.25"	Blade diameter 330 mm / 12,99" "
Blade angle	40° tilt	
Carriage inklination	18°	
Slice thickness	0 - 24 mm / 0 - 0.94" 0 - 3 mm / 0 - 0.12"	Infinitely adjustable Fine-setting
Slicing performance	35 - 90 strokes/min.	
Housing materials	Anodized aluminum Bizerba Ceraclean® (optional) Plastics	
Packaging data		
Dimensions (L x W x H)	820 mm x 700 mm x 823 mm 32.3" x 27.6" x 32.4"	
Weight	50 kg / 110,4 lb 57 kg / 125.7 lb	with packaging
Options		
Additional portion scale	Non-metrologically approved	
Weighing range	0 - 3 kg / 0 - 6 lb	

Digit interval	2 g / 0,005 lb
Tare	100 %


Infographic



Symbols



Dimensions



Bizerba GmbH & Co. KG

Wilhelm-Kraut-Straße 65
72336 Balingen
Germany
T +49 7433 12-0
F +49 7433 12-2696
marketing@bizerba.com

www.bizerba.com