



Weighing terminals and industrial PCs

Tailor-made solutions



**The Open World of
Finest Weighing Solutions.
Since 1866.**

Our experience sets standards

We are a family-owned company guided by a commitment to tradition, sustainability and responsibility. Nowadays, based on our core competence of slicing and weighing technology, we offer our customers the industry's largest and most unique range of products and solutions as hardware, software and services, anywhere in the world.

As a globally operating technology company we are guided by our goal and commitment to achieve maximum results in terms of ergonomic design, hygiene, safety and efficiency. We believe we have a role to play in shaping our markets, and are continually setting new industry standards.

In close collaboration with our customers and against a backdrop of technological advancement, we are working to improve our products on a daily basis—resulting in innovations which become new standards.

In order to continue to live up to these requirements, we focus on the highest possible quality standards and internationally recognized technology standards in our development and manufacturing work. This is how we best support our customers in achieving maximum efficiency and profitable growth.

Our experience sets standards.
That's what sets us apart. Bizerba

Intelligent precision



The iS series offers you absolute precision and intelligent product networking along the entire supply chain. Whether as an individual component or a modular system: Latest hardware and software connect to contemporary, future-proof solutions.

Bizerba weighing terminals are tailor-made systems covering your needs in a comprehensive and reliable manner. We offer you individual and practice-oriented systems for the food, chemical, pharmaceutical, metal and electronics industries as well as logistics—also for hazardous areas. Easily meet highest standards in extreme or sensitive production environments also in terms of ergonomics, safety and hygiene.

Perfectly integrated in your environment and combined with the software platforms BRAIN or BRAIN2, Bizerba solutions offer you highest flexibility. This allows you to design your processes efficiently and based on your needs. Thanks to manifold interfaces the solutions can be seamlessly integrated in your infrastructure. The application spectrum ranges from simple weight recording to counting applications and tolerance control up to dosing and formulation tasks. Further fields of application are control and regulating processes, order-picking, documentation and stocktaking.

The iS50 family

The iS50 device family comprises the iS50 Industrial Weighing Terminal for industrial applications, the iS50 Logistics Weighing Terminal, optimized for the use in the logistics industry as well as the iS50-Ex Industrial Weighing Terminal for hazardous areas.


For complex weighing and control systems these intelligent solutions ensure more efficient processes. Controls which were required when a driven roller conveyor was used before and after the scale can be omitted. Also parallel processes can be carried out independently. This allows you to increase functionality and flexibility with just one device.

The weighing terminals easily integrate in your production structures and can be connected to peripheral devices. When networked with Bizerba scales these are need-based system solutions fitted with digital or analog weighing technology.

The systems of the iS50 family can be customized to your needs via the integrated Soft-PLC. Frequency converter, valves and motors are directly controlled. The functionalities comprise the determination of weight and production data. Optionally, the systems can also control dosing systems, record statistical data as per prepack regulations, count or carry out tolerance controls.



Close to your needs Flexible in use



Accurate and fast recording of weight

The integrated weighing module of the iS series models ensures highest reliability even in case of time-sensitive applications. Regardless of whether you opt for a high-end weighing terminal or a full-fledged industrial PC: Our solutions record weight values fast and accurately. The ideal basis for optimal production processes.

Flexible applications

With its broad application spectrum the iS series covers all your needs offering maximum flexibility—from simple weighing to PC-based applications. In top Bizerba quality you can integrate weighing, counting, tolerance control, statistics, in-motion weighing, dosing or filling functions in your supply chain. The result: A consistently high product quality and efficient production processes.

Optimized production processes

By networking with the industrial software BRAIN2 you can create a synchronous work and data flow with the models of the iS series and optimize your production. For more information on BRAIN2, please refer to page 18-19.

Easy integration

Due to the broad range of available interface technologies the models can be quickly and easily integrated in your production. They ensure a smooth machine to machine communication since all serial communication protocols are available for the data exchange. The iS50 Industrial Weighing Terminal, for example, comes standard with an Ethernet and USB master/slave interface. Optionally, you may upgrade these models with fieldbuses such as Profibus DP or Profinet IO. Your benefit: You benefit from a broad range of applications and can flexibly adapt your production to process changes.

Best industrial design

The models of the iS series were developed with a practical approach in order to suit your production needs. The robust design which is suitable for industrial applications withstands your requirements. We exclusively use high quality, durable materials. Fitted with a stainless steel housing our models offer protection up to IP69. These are ideal prerequisites for use in production environments where dust, moisture or aggressive substances are present. The iS series also comprises a large selection of devices which meet ATEX and IECEC requirements for use in hazardous areas.

Individual location

Thanks to flexible mounting options the devices of the iS series can be perfectly integrated in your production, e.g. with table or wall mounting, mounted on a stand or installed in a control panel. Since the weighing terminals are optionally available with battery packs, they are suitable for mobile use.



iS10/iS20

Compact weighing terminal stands out in many areas whether it is checking, order picking or stocktaking.

Highlights

- Resistant compact weighing terminal in stainless steel
- Variable integration: Goods receiving, production, quality assurance in the warehouse, in the packaging and shipping
- Integrated applications for efficient weighing and counting processes or tolerance control
- **Special features iS20:** Additional interfaces RS232 and Ethernet; three inputs, four outputs; display of tolerance control with LED traffic light function



iS25

The compact weighing terminal iS25 offers you a wide range of functions and requires minimal space.

Highlights

- Fast data recording and control
- LED lights as a visual signal during tolerance check
- Large keys with mechanical pressure point and acoustic feedback ensure trouble-free operation, even with gloves



iS30

The compact weighing terminal for logistics and industry is impressive in terms of its large full graphic display.

Highlights

- Robust industrial design
- Numerous applications: Weight data establishment, counting, dosing, documenting, statistical data recording as per prepack regulations FPV, tolerance control
- User-friendly, full graphic 5.7" display, resolution 320 x 240 px; LED backlighting
- Quick input of process data by means of four freely assignable function keys and four more application keys

Also available for logistics applications
(see page 12)



iS50

Industrial Weighing Terminal

The intelligent weighing terminals of the iS50 family simplify the installation of complex, highly precise weighing and control systems in industry and logistics.

Highlights

- Robust industrial design
- User-friendly, full graphic 7" display, resolution 800 x 480 px, LED backlighting, freely programmable graphic display
- Flexible adjustment thanks to Soft-PLC
- Freely programmable with CODESYS and development kit
- Process visualization via WebVisu

Also available for logistics applications
(see page 12)



Options

- Integrated battery pack including charger
- Individual mounting: Table, wall, counter top, column
- Combinable with different load receptors



Options

- Battery pack with charger and battery holder
- Combinable with different load receptors
- Many interface options
- Individual mounting: Table, wall, counter top, stand



Options

- Manifold interface options and two scale interfaces to connect analog scales, Pesa scales or high accuracy balances
- Battery pack with charger and battery holder
- Applications for weighing, counting, tolerance control, statistics, single-component filling, recording database, data input and output devices, fieldbus



Options

- Software options dosing: BigBag filling; precise and quick dosing; fast transmission rates; teaching wizard for process optimization
- Applications: Weighing, counting, tolerance control, statistics, single-component filling, recording database, data input and output devices, fieldbus

Our logistics specialists

Bizerba also offers comprehensive solutions for the logistics area ranging from e-commerce and warehousing, CEP, parcel and transport logistics up to distribution. In addition to the weighing terminals, matching in-motion scales and weighing modules are available.



The logistics series offers the following advantages

- + Dynamic calibration for an optimal weighing result
- + Use of filter technologies for vibration compensation
- + Ideally suitable for weight recording and data output in logistics
- + EC type approval: SWE (Y(a) or Y(b))

Matching in-motion scales for your logistics application:

CWL-L, CWL-I, CWL-M

Special features of the iS30 Logistics Weighing Terminals

- EC type approval: AChW (X(III) and X(III))
- Ideally suitable for weight recording and data output in logistics with connection option for up to two load receptors

Special features of the iS50 Logistics Weighing Terminals

- EC type approval: AChW (X(III) and X(III))
- Ideally suitable for weight recording and data output in logistics with connection option for several load receptors



WM-3

Manifold possibilities and robust design.

Highlights

- Designed for control cabinet installation
- Ideal for weight recording, data output and control in logistics, warehouse and process technologies or fill level check
- System integration with high process reliability
- Easy data output to PLC, PLS, or ERP systems via interfaces

For logistics applications: WM-L

Options

- Many interface options
- Large numeric display

Also available as an
explosion-proof version (WM-B)



WM-T

The weighing modul box makes the industrial PCs iS65 Pro and iS75 to full-fledged weighing terminals.

Highlights

- Stainless steel housing, IP65/IP69 protection
- Connection of 1 or 2 analog load receptor
- Power supply among other things directly from the industrial PC iS75 to the WM-T via USB
- Bizerba software ScaleView:
 - Verifiable display
 - Function keys such as tare, delete tare, manual tare, zero setting





iS65 Pro

The lean, robust industrial PC is made for daily use in harsh industrial environments.

Highlights

- Ideal for harsh environments - complete protection against dust and moisture due to IP65
- 15" touchscreen, resolution 1024 x 768
- Optimal network coverage due to integrated WLAN module 802.11
- Ideal for BRAIN Client applications due to 8 GB DDR 3 RAM



Options

- Stand for table or wall mounting made of stable stainless steel
- Column for use on production lines



iS75

A full-fledged industrial PC—this high-end solution is impressive in terms of its multi-functionality.

Highlights

- Powerful industrial PC in stainless steel design for harsh ambient conditions
- Optimal terminal for weighing, dosing, counting, checking, control and data recording due to suitable software
- Cable routing for standard cables fulfilling requirements of IP65 and IP69
- Many interface options: 2 x Ethernet, WLAN, serial and USB interface
- 21.5" Projective Capacitive Touch Display (PCT) in full HD resolution



Options

- Individual mounting: Stand, column, VESA 100
- RFID reader
- 8 GB RAM
- Connectivity to BRAIN2 applications such as BRAIN2 Formulation and _counting.BRAIN



Flexible, integrated and networked



Need-based investment

- Individually configure with the modular portfolio
- Same simple device operation as in the non-hazardous area
- Software tailored to your needs



Meeting requirements

- ATEX and IECEx conform for Ex zones 1/21 and 2/22
- Verifiable load receptors and data memories
- Reliably meet occupational safety standards



Seamless integration

- Data transfer to higher-level systems/PCs
- Individually programmable thanks to Soft-PLC and Codesys
- Remain flexible by means of mobile solutions and manifold types of installation



iS25-Ex

A fast and powerful compact solution.

EX ZONE
1/21

Highlights

- Backlit 7-segment display
- Visual support of the tolerance control thanks to LED traffic light function
- Interfaces: Profibus DP, analog output or TTY, I/O (4/4)
- Integrated service WLAN, e.g. for software updates and configurations
- Applications: Weighing, counting, tolerance control
- Integrated 24 V/230 V power supply unit or chargeable 24 V battery pack

Highlights

- 5.7" full graphic display with white LED backlighting, resolution 320 x 240 px, TFT
- Interfaces: Ethernet, I/O (4/4), Profibus DP, analog output, TTY, I/O expansion up to I/O (16/16), RS232 scanner
- Integrated service WLAN, e.g. for software updates and configurations
- Applications: Weighing, counting, tolerance control, statistics, single-component dosing
- Integrated 24 V/230 V power supply unit or chargeable 24 V battery pack

IP65

Options

- Combinable with different load receptors
- Many interface options
- Individual mounting: Table, wall, counter top, stand, column
- Battery pack with charger and battery holder

IP65

Options

- Battery pack with charger and battery holder
- Many interface options

IP65

BIZERBA



iS30-Ex/iS30-Z2

The convenience solutions with full graphic display—iS30-Ex for Ex zone 1/21, iS30-Z2 for Ex zone 2/22.

EX ZONE
1/21 EX ZONE
2/22



iS50-Ex

Industrial Weighing Terminal

The freely programmable all-rounder.

EX ZONE
1/21

Highlights

- 7" full graphic display with white LED backlighting, resolution 800 x 480 px, TFT
- Interfaces: Ethernet, I/O (4/4), Profibus DP, analog output, TTY, I/O expansion up to I/O (16/16), RS232 scanner
- Applications: Weighing, counting, tolerance control, statistics, single-component dosing, development kit for CODESYS and databases
- Integrated 24 V/230 V power supply unit

EX ZONE
1/21 EX ZONE
2/22

Highlights

- Easy separation of the pressure-resistant encapsulated plug-in connection
- Plug-in connection: DXN1
- Can be used as an external battery pack

IP65

Options

- Charger 24 V with IP20 protection, charging must be carried out in explosion-proof area.
- Battery holder made of stainless steel



BK-Ex 24V

The perfect battery box for mobile systems in hazardous areas.

BIZERBA

All possibilities at a glance

Product	Applications								Power			Interfaces								Scale interfaces							
	Weighing	Counting	Tolerance control	Statistics	Single-component dosing	In-motion weighing	Price calculation	Free programmability	230 V	24 V AC/DC	Battery pack 24 V DC	RS232 galvanically not isolated interfaces	RS232 galvanically isolated interfaces	RS422/485	USB Port	Ethernet	WLAN	Profinet IO	Profinet IO	TTY	Static inputs/outputs	Analog output	RFID	Max. number of connectable load receptors	Analog scale	Pesa scale	Connection high accuracy balance RS232
Weighing module																											
WM-3	✓	—	(✓)	—	—	—	—	—	—	✓	—	(✓)	—	—	—	—	—	—	—	—	—	—	1	✓	(✓)	—	
WM-T	✓	—	—	—	—	—	—	—	—	✓	—	✓	—	—	—	—	—	—	—	—	—	—	2	✓	—	—	
WM-B	✓	—	(✓)	—	—	—	—	—	—	✓	—	(✓)	—	—	—	—	—	—	✓	(✓)	—	—	1	✓	(✓)	—	
WM-3 Logistic Weighing Terminal	✓	—	—	—	—	✓	—	—	—	✓	—	(✓)	—	—	—	—	—	—	✓	(✓)	—	—	1	✓	(✓)	—	
Weighing terminal																											
iS10	✓	✓	✓	—	—	—	—	—	✓	(✓)	(✓)	—	—	—	—	—	—	—	—	—	—	—	1	✓	—	—	
iS20	✓	✓	✓	—	—	—	—	—	✓	(✓)	(✓)	✓	—	—	—	—	—	—	✓	—	—	—	1	✓	—	—	
iS25	✓	✓	✓	—	—	—	—	—	✓	(✓)	(✓)	—	(✓)	—	—	—	—	—	✓	(✓)	—	—	1	✓	—	—	
iS30	✓	(✓)	(✓)	(✓)	(✓)	—	—	—	✓	(✓)	(✓)	✓	(✓)	(✓)	✓	—	(✓)	(✓)	—	✓	(✓)	—	2	(✓)	(✓)	(✓)	
iS50 Industrial Weighing Terminal	✓	(✓)	(✓)	(✓)	(✓)	—	(✓)	(✓)	✓	(✓)	(✓)	—	(✓)	(✓)	✓	✓	—	(✓)	(✓)	—	✓	(✓)	—	7	(✓)	(✓)	(✓)
iS30 Logistics Weighing Terminal	✓	(✓)	(✓)	(✓)	—	✓	—	—	✓	(✓)	—	✓	(✓)	(✓)	✓	—	(✓)	(✓)	—	✓	(✓)	—	2	(✓)	(✓)	—	
iS50 Logistics Weighing Terminal	✓	(✓)	(✓)	(✓)	—	✓	—	(✓)	(✓)	✓	(✓)	—	(✓)	(✓)	✓	✓	—	(✓)	(✓)	—	✓	(✓)	—	7	(✓)	(✓)	—
iS25-Ex	✓	✓	✓	—	—	—	—	—	✓	(✓)	(✓)	—	—	—	—	—	—	—	✓	(✓)	(✓)	—	1	✓	—	—	
iS30-Ex	✓	(✓)	(✓)	(✓)	(✓)	—	—	—	✓	(✓)	(✓)	—	(✓)	—	—	—	—	—	✓	(✓)	(✓)	—	2	(✓)	—	—	
iS30-Z2	✓	(✓)	(✓)	(✓)	(✓)	—	—	—	✓	(✓)	(✓)	—	(✓)	(✓)	✓	—	(✓)	(✓)	—	✓	(✓)	—	2	(✓)	(✓)	—	
iS50-Ex Industrial Weighing Terminal	✓	(✓)	(✓)	(✓)	(✓)	—	(✓)	(✓)	✓	(✓)	(✓)	—	(✓)	(✓)	✓	—	(✓)	(✓)	—	✓	(✓)	—	2	(✓)	—	—	
Industrial PC																											
iS65 Pro	—	—	—	—	—	—	—	—	✓	✓	—	✓	—	—	✓	✓	✓	✓	✓	—	—	—	—	—	—	—	
iS75	—	—	—	—	—	—	—	—	✓	✓	—	✓	—	—	✓	✓	✓	✓	✓	—	—	—	—	—	—	—	

.....
Key
✓ Standard
✗ Option
— Not available
s For service only

All possibilities at a glance

Product	Housing versions										IP rating			Hazardous areas		Display and operation						Can be used with industrial software										
	Top hat rail mounting	Tabletop version	Countertop version front	side compact scale	Wall mounting	Stand mounting	Control panel mounting	VESA mounting system	Protective cover	Explosion-proof area	Zone 2/22	Zone 1/21	IP20	IP65	IP69	Mini display	digit size 6 mm	External display	digit size 20 mm	LCD 7-segment display	digit height 15 mm	Full graphic color display	Touch screen	Tactile function keys	Traffic light function (tolerance control)	BRAIN2 Sample_Test	BRAIN2 Capture	BRAIN2 Prepack_Compliance	BRAIN2 Formulation as transmitter	BRAIN2 Safety_Service	BRAIN2 Portion_Control	connect.BRAIN
Weighing module																																
WM-3	✓	—	—	—	—	—	—	—	✓	—	—	✓	—	—	—	(s)	(s)	—	—	—	✓	—	—	—	—	✓	—	—	✓	—		
WM-T	—	✓	—	✓	✓	—	—	—	—	✓	✓	✓	—	—	—	—	—	—	—	—	—	—	—	—	✓	—	✓	✓	✓			
WM-B	✓	—	—	—	—	—	—	—	✓	—	—	✓	—	—	—	(s)	(s)	—	—	—	✓	—	—	—	—	✓	—	—	✓	—		
WM-3 Logistic Weighing Terminal	✓	—	—	—	—	—	—	—	✓	—	—	✓	—	—	—	(s)	(s)	—	—	—	✓	—	—	—	—	✓	—	—	✓	—		
Weighing terminal																																
iS10	—	✓	(s)	(s)	(s)	(s)	(s)	—	—	✓	✓	✓	✓	✓	✓	—	—	✓	—	—	✓	—	—	—	—	—	—	—	—	—		
iS20	—	✓	(s)	(s)	(s)	(s)	(s)	—	—	✓	✓	✓	✓	✓	✓	—	—	✓	—	—	✓	✓	—	—	✓	—	✓	✓	—	—		
iS25	—	✓	—	(s)	(s)	(s)	(s)	—	—	✓	✓	✓	✓	✓	✓	—	—	✓	—	—	✓	✓	—	—	✓	—	—	✓	—	—		
iS30	—	✓	—	✓	(s)	(s)	(s)	✓	(s)	✓	✓	✓	✓	✓	✓	—	—	—	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
iS50 Industrial Weighing Terminal	—	✓	—	✓	(s)	(s)	(s)	—	(s)	✓	✓	✓	✓	✓	✓	—	—	—	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
iS30 Logistics Weighing Terminal	—	✓	—	✓	(s)	(s)	(s)	✓	—	✓	✓	✓	✓	✓	✓	—	—	—	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
iS50 Logistics Weighing Terminal	—	✓	—	✓	(s)	(s)	(s)	—	—	✓	✓	✓	✓	✓	✓	—	—	—	✓	—	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
iS25-Ex	—	✓	—	(s)	(s)	(s)	(s)	—	—	✓	✓	✓	—	—	✓	—	—	✓	—	—	✓	✓	—	—	✓	—	—	✓	—	—		
iS30-Ex	—	✓	—	✓	(s)	(s)	(s)	✓	(s)	✓	✓	✓	—	—	✓	—	—	✓	—	—	✓	✓	—	—	✓	✓	✓	✓	✓	✓		
iS30-Z2	—	✓	—	✓	(s)	(s)	(s)	✓	(s)	✓	✓	✓	—	—	✓	—	—	✓	—	—	✓	✓	—	—	✓	✓	✓	✓	✓	✓		
iS50-Ex Industrial Weighing Terminal	—	✓	—	✓	(s)	(s)	(s)	—	(s)	✓	✓	✓	—	—	✓	—	—	✓	—	—	✓	✓	—	—	✓	✓	✓	✓	✓	✓		
Industrial PC																																
iS65 Pro	—	(s)	—	(s)	(s)	(s)	—	✓	—	✓	✓	—	✓	✓	—	—	—	—	✓	✓	✓	—	—	—	✓	—	—	✓	—	—		
iS75	—	(s)	—	(s)	(s)	(s)	—	✓	—	✓	✓	(s)	✓	✓	—	—	—	✓	✓	✓	✓	—	—	✓	—	—	✓	—	—			

.....

Key
 ✓ Standard
 (s) Option
 — Not available
 s For service only

BRAIN2 software: Smart production

With our intelligent industrial software BRAIN2 you gain maximum transparency and complete traceability along your supply chain. Matching your needs the apps can be easily integrated into your company processes via interfaces. They record production data in real time, manage and analyze data efficiently or safely control production processes. Automatically create reports and statistics. Save pictures including date and time for the duration of a product's shelf life. One of the many options available in order to document your production.



BRAIN2

BRAIN2 Capture

Perfect data flow

This powerful software allows you to record and evaluate process data in a quick, easy and efficient manner.

BRAIN2 Data_Maintenance_Basic

Central master data management

Centrally edit the master data of the Bizerba weighing terminals. With the intuitively operable GUI you can send master data to any number of devices.

BRAIN2 Data_Maintenance

Central master data management

Centrally manage master and configuration data such as PLU and customer data on your Bizerba devices using this app via PC with minimal time effort.

BRAIN2 Sample_Test

Customized sample test

Optimize your production. Create test plans automatically and centrally and generate reports automatically.

BRAIN2 Label_Designer

Professional design

Design label layouts on the PC. Implement LMIV requirements without major time effort. Make use of the variable templates for nutritional tables or GDA information, for example, provided by BRAIN2 Label designer.

BRAIN2 Device_Access

Central system management

As a BRAIN2 administrator you define the various access levels. Your benefit: efficient user management for controlled processes. Avoid failures due to unauthorized access.

BRAIN2 Formulation

Safe production

With this app, operating errors and claims can be avoided. Employees are quickly instructed and guided step by step through a formula. For a constant quality of products and processes.

BRAIN2 Safety_Service

Backed up data

Automatically create backups. Data centrally saved can be easily restored via GUI or directly on the device. For a fast startup you can simply clone device data.

BRAIN2 Stock_Control

Controlled goods receiving and optimized quality

Record your goods and materials received for an automated, correct inventory. Centrally manage items and call up key data at any time.

BRAIN2 OEE

Transparent numbers

BRAIN2 OEE records key metrics of your production, evaluates them and calculates the OEE value from the collected data records. The ideal basis for optimization processes.

BRAIN2 Prepack_Compliance

Quick reporting

Generate and save statistical data records of your weigh price labelers and checkweighers. Easily fulfill the fill quantity control (FPV prepack regulations Europe), USDA (USA).

For top quality and reliable performance




In your day-to-day work with your weighing terminal or industrial PC, you can rely on high-quality cleaning products and original consumables in Bizerba quality. Everything is perfectly matched to your products ensuring best possible results and longevity of your investment. A perfect example of teamwork with added benefits for you.

Optimal functioning and constant availability of your devices and machines require professional care. Our

high quality cleaning agents play an important role here since they are specifically developed for demanding conditions in retail, industry and food service. They are easy to use and show impressive results: Perfect cleanliness providing protection as well as disinfecting hygiene of sensitive components and smooth surfaces. For each material whether stainless steel, plastic or glass, we have a suitable cleaning agent in our comprehensive assortment. Clean solutions for your work area or production facility.

Our service Professional on-site support



We supplement the use of our weighing terminals and industrial PCs with optimal service. Benefit from our experience and industry know-how. Our highly qualified service experts are at your service nationwide.


In order to obtain the maximum from your investments we are there for you with a multi-level service. This includes advice, start-up and installation of the weighing terminal or industrial PC as well as other services. Our perfectly matched modules ensure continuous availability.

Service modules

- Individually agreed service contracts
- Start-up including initial training and initial installation
- 24/7 service contract, optional
- Full support (spare parts, technical competence and on-site support)
- Large nationwide network of service experts who are quickly at your service and on-site
- A broad range of cleaning and care products
- Service hotline
- Customer training

My Bizerba Service redefined

Information to suit your every need



We offer you solutions from a single source which can be customized and allow you to respond to any change in a flexible manner. No matter which modules you are combining into your solution, you'll benefit from planned budget costs, efficient processes and the very best Bizerba quality.

Products	Services	Contracts
<ul style="list-style-type: none">• Hardware• Software & Software Apps• Labels & Consumables• Cleaning & Care• Spare & Wear Parts	<ul style="list-style-type: none">• Consulting• Installation• Maintenance• Stand-by• Financing• Training	<ul style="list-style-type: none">• Service contracts• Smart contracts

If you are looking for a fast and reliable way to find the right solutions for your company, there are various routes to the perfect result. Whether you would like to contact us online or prefer to arrange a face-to-face meeting, Bizerba is always happy to help.

In person

You personally want to inform yourself about solutions tailored to your local circumstances? Do not hesitate to contact us. Our customer advisors are always on hand to assist you. From the idea of planning measures up to the implementation and training, our customer service representatives are at your service. You can find details of how to contact us on the back page of this brochure.

Online

The Bizerba website provides a quick, easy and focused overview of all our product solutions as well as relevant topics relating to weighing,

packaging, pricing and labeling. Experience our solutions from all sides. Our solutions can be viewed virtually in a short video or 360° animation. Simply visit our website to see more:

www.bizerba.com

Would you like to learn more?

Are you keen to obtain more detailed information about Bizerba's products? If so, please contact us. Whether these are dimensional drawings, technical information or interface descriptions. We are happy to advise you.

Members of the Bizerba Group

Bizerba SE & Co. KG

Wilhelm-Kraut-Straße 65
72336 Balingen
Germany

T +49 7433 12-0
F +49 7433 12-2696

www.bizerba.com

Bizerba USA Inc.

1804 Fashion Court
Joppa, MD 21085
USA

T Office +1 732 565-6000
T Service +1 732 565-6001
F +1 732 819-0429

www.bizerba.com

Bizerba UK Limited

2-4 Erica Road
Stacey Bushes
Milton Keynes
Buckinghamshire
MK12 6HS
UK

T +44 1908 6827-40
F +44 1908 6827-77

www.bizerba.com

Bizerba Canada Inc.

2810 Argentia Road #9
Mississauga,
Ontario L5N 8L2
Canada

T +1 905 816-0498
F +1 905 816-0497

www.bizerba.com


Bizerba Shanghai

Weigh Tech & Systems Co. Ltd.
Room 307, Building A
Shanghai Jiuxing Hongqiao
Business Center
NO.9 Shenbin Road
Shanghai
China

T +86 21 676009-99
F +86 21 676009-98

www.bizerba.com

94142000841 © 7th edition 012020. Subject to modifications. Illustration title: iS50-Ex Industrial Weighing Terminal
Deviations in color, printing errors due to the photographic material or printing, or changes in construction and model are reserved.



BIZERBA